according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

Date of last issue: 10.06.2020 Version Revision Date: SDS Number: 2.1 28.05.2021 000000049546 Date of first issue: 28.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Ivomec® Pour On Trade name

: Ivomec® Pour-On, Ivomec® Pour-On for cattle, Ivomec® Synonyms

> Pour-On Lösung zum Auftragen auf die Haut für Tiere, Ivomec® Pour-On 5 MG/ML VET. LIUOS, Ivomec® Pour-On bovin, solution cutanée pour depot, Ivomec® Pour-On cattle, Ivomec® Pour-On for cattle, Ivomec® Pour-On for cattle and deer, Ivomec® Pour-On sol. ad us. Vet, Ivomec® Pour-On voor rundvee, molemec pour-on solution, Molemec Pour on

with API: Ivermectin

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Pharmaceutical Use of the Sub-

stance/Mixture

Recommended restrictions

on use

: Safety Data Sheet only for the professional user.

1.3 Details of the supplier of the safety data sheet

Company : Boehringer Ing. Pharma GmbH & Co.KG

Binger Straße 173 55216 Ingelheim

Germany

Telephone +498007790900

E-mail address of person responsible for the SDS

EHS-Services@Boehringer-Ingelheim.com

1.4 Emergency telephone number

Int. Emergency Telephone number: +1 703-527-3887 Chemtrec 24-hours

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

Effects on or via lactation H362: May cause harm to breast-fed children. H336: May cause drowsiness or dizziness.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

1/21

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

Revision Date: SDS Number: Date of last issue: 10.06.2020 Version 2.1 28.05.2021 000000049546 Date of first issue: 28.10.2019

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word Danger

Hazard statements Highly flammable liquid and vapour. H225

Causes serious eye irritation. H319 H336 May cause drowsiness or dizziness. H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Prevention: Precautionary statements

> P201 Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Isopropyl alcohol, IPA

Ivermectin

Additional Labelling

EUH208 Contains Ivermectin. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This drug is not subject to the labelling requirements under the Globally Harmonized System

The pharmacological effect of the medicament has to be considered (see package leaflet).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Isopropyl alcohol, IPA	67-63-0 01-2119457558-25- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 50 - < 70
Ivermectin	70288-86-7 274-536-0	Acute Tox. 2; H300 Acute Tox. 3; H311 Skin Sens. 1; H317 Repr. 2; H361 Lact.H362 STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,3 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately (show the label where possible).

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Remove from exposure, lie down.

Take off immediately all contaminated clothing.

Victim to lie down in the recovery position, cover and keep him

warm.

If inhaled : Move to fresh air.

In case of skin contact : Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing.

If swallowed : Rinse mouth.

Drink plenty of water.

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

Date of last issue: 10.06.2020 Version Revision Date: SDS Number: 28.05.2021 000000049546 Date of first issue: 28.10.2019 2.1

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

May cause drowsiness or dizziness. May cause harm to breast-fed children.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Observe the summary of product characteristics of proprietary

medicinal products

Symptomatic treatment (decontamination, vital functions).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water mist Dry chemical Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

In case of fire and/or explosion do not breathe fumes.

Can be released in case of fire:

Carbon oxides

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Complete suit protecting against chemicals

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment.

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Advice on protection against :

fire and explosion

Provide sufficient air exchange and/or exhaust in work rooms.

Keep away from heat and sources of ignition.

Hygiene measures : General industrial hygiene practice. Wash hands and face

before breaks and immediately after handling the product.

Keep working clothes separately.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Protect from heat and direct sunlight.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Observe joint storage prohibition.

Storage class (TRGS 510) : 3, Flammable Liquids

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this sub-

stance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	Basis	Category	Values	Remark
Ivermectin 70288-86-7	BIEL	3A	10 µg/m3	
	BIPC	3		

Abbreviations:

BIEL = Boehringer Ingelheim Exposure Limit (internal value)

BI-STEL = Boehringer Ingelheim Short-Term Exposure Limit (Excursion limit)

BIPC = Boehringer Ingelheim Pregnancy Category

BIPC 3: There is evidence in animals and/or humans or the mechanism of actions indicates that the compound has the potential to cause harm to the unborn. Harm to the unborn can occur even if exposure does not exceed the BIEL value.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Isopropyl alcohol, IPA	Workers	Dermal	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
	Consumers	Dermal	Long-term systemic effects	319 mg/kg
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Tredicted the Effect Concentration (FixEs) according to Hogalation (Es) No. 1007/2000.					
Substance name	Environmental Compartment Value				
Isopropyl alcohol, IPA	Fresh water	140,9 mg/l			
	Marine water	140,9 mg/l			
	Sewage treatment plant	2251 mg/l			
	Fresh water sediment	552 mg/l			
	Marine sediment	552 mg/l			
	Water	160 mg/l			
	Soil	28 mg/l			
	Water	140,9 mg/l			
Ivermectin	Sediment	< 0,000012			
		mg/kg			
	surface water	< 0,000057 mg/l			
	Soil	0,03 mg/kg			

8.2 Exposure controls

Engineering measures

Local exhaust

Emergency sprinkling nozzle

Personal protective equipment

Eye protection : Always wear eye protection when the potential for inad-

vertent eye contact with the product cannot be excluded.

Safety glasses with side-shields

Hand protection

Material : Nitrile rubber Glove thickness : 0,43 mm

Directive : Protective gloves against chemicals and micro-organisms

Protective index : Class 6

Remarks : The break through time depends amongst other things on

the material, the thickness and the type of glove and there-

fore has to be measured for each case.

Skin and body protection : Protective work clothing

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

Version Revision Date: SDS Number: Date of last issue: 10.06.2020 2.1 28.05.2021 000000049546 Date of first issue: 28.10.2019

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Breathing apparatus needed only when aerosol or mist is

formed.

Respiratory protection

ABEK2

Protective measures Handle in accordance with good industrial hygiene and safe-

ty practice.

Avoid contact with skin, eyes and clothing.

Only use protective equipment in accordance with national/international regulations. Follow the national regulations about wearing personal protective equipment and the warranty given by the manufacturer for the safe function.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid Colour blue alcohol-like Odour Odour Threshold No data available

Melting point/range : No data available

Boiling point/boiling range : 82 °C(related to the solvent(s))

Flammability Not applicable

Upper explosion limit / Upper

flammability limit

12 %(V)

(related to the solvent(s))

Lower explosion limit / Lower

flammability limit

: 2 %(V)

(related to the solvent(s))

Flash point 14 °C

Auto-ignition temperature No data available

Decomposition temperature

Decomposition tempera-

No decomposition if used as directed.

ture

pН No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

No data available

octanol/water

43 hPa (20 °C) Vapour pressure

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Relative density : No data available

Bulk density : Not applicable

Relative vapour density : No data available

9.2 Other information

Explosives : Not classified due to lack of data.

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No data available

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Method: Calculation method

Components:

Isopropyl alcohol, IPA:

Acute oral toxicity : LD50 (Rat): 5.840 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 10.000 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Ivermectin:

Acute oral toxicity : LD50 (Rat, male): = 42,8 mg/kg

LD50 (Rat, female): = 44,3 mg/kg

LD50 (Mouse, male): = 11,6 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): = 406 mg/kg

Skin corrosion/irritation

Components:

Isopropyl alcohol, IPA:

Result : No skin irritation

Ivermectin:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Isopropyl alcohol, IPA:

Species : Rabbit

Method : OECD Test Guideline 405

Result : irritating

Ivermectin:

Species : Rabbit

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Result : Slightly irritating.

Respiratory or skin sensitisation

Components:

Isopropyl alcohol, IPA:

Assessment : Does not cause skin sensitisation.

Ivermectin:

Test Type : Buehler test Species : Guinea pig

Result : May cause sensitisation by skin contact.

Test Type : Mouse Local Lymph Node Assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Isopropyl alcohol, IPA:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No mutagenic effects reported.

Ivermectin:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Concentration: 2000 µg/plate

Result: negative

Test Type: Mouse lymphoma assay

Concentration: 1000 µg/ml

Result: negative

Test Type: Unscheduled DNA synthesis

Test system: fibroblast cell line Concentration: 1000 µg/ml

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral Dose: 20 mg/kg/day Result: negative

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Carcinogenicity

Components:

Isopropyl alcohol, IPA:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Ivermectin:

Species : Mouse
Exposure time : 2 Years
Dose : 10 mg/kg/day

Remarks : Did not show carcinogenic effects in animal experiments.

Species : Rat, male
Application Route : Oral
Exposure time : 2 Years
Dose : 9 mg/kg/day

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
Dose : 9 mg/kg/day

Remarks : Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

May cause harm to breast-fed children.

Components:

Isopropyl alcohol, IPA:

Effects on fertility : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Effects on foetal develop-

ment

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Ivermectin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral Dose: 0.1, 1, 9 mg/kg/day

General Toxicity - Parent: NOEL: 1 mg/kg body weight

Fertility: NOEL: 1 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Dose: 0.1; 0.2; 0.4; 0.8 mg/kg/day

General Toxicity Maternal: NOEL: 0,1 mg/kg body weight

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Embryo-foetal toxicity: NOEL: 0,2 mg/kg body weight

Result: Teratogenic effects

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral Dose: 1.5; 4; 12 mg/kg/day

General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: NOAEL: 4 mg/kg body weight

Result: Teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral Dose: 1.5; 3; 6 mg/kg/day

General Toxicity Maternal: NOEL: 3 mg/kg body weight Embryo-foetal toxicity: NOEL: 1,5 mg/kg body weight

Result: Teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Effects on or via lactation

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Isopropyl alcohol, IPA:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects.

Ivermectin:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

STOT - repeated exposure

Components:

Isopropyl alcohol, IPA:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Ivermectin:

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Repeated dose toxicity

Components:

Ivermectin:

Species : Mouse
NOAEL : 10 mg/kg
Application Route : Dermal
Exposure time : 13 weeks

Dose : 1, 3, 10 mg/kg/day

Remarks : No significant adverse effects were reported

Species : Rat
NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 13 weeks

Dose : 0.1, 0.3, 1.0, 3.0 mg/kg/day

Species : Dog
NOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 13 weeks

Dose : 0.1, 0.25, 0.5, 1.5 mg/kg/day

Aspiration toxicity

Components:

Isopropyl alcohol, IPA:

No data available

Ivermectin:

No data available

11.2 Information on other hazards

Further information

Components:

Ivermectin:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Isopropyl alcohol, IPA:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

Version Revision Date: Date of last issue: 10.06.2020 SDS Number: 2.1 28.05.2021 000000049546 Date of first issue: 28.10.2019

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to microorganisms (Pseudomonas putida): 1.050 mg/l

Exposure time: 16 h

Toxicity to fish (Chronic tox-

Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Ivermectin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,003 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0053 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0,000013 mg/l

End point: Immobilization Exposure time: 48 h

Toxicity to algae/aguatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

Lowest Observed Effect Concentration (Pseudokirchneriella

subcapitata (green algae)): 1,25 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,391

ma/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC50: 0,0017 mg/l Exposure time: 10 d

Species: Hyalella azteca (Amphipod)

NOEC: 0,00021 mg/l Exposure time: 10 d

Species: Hyalella azteca (Amphipod)

M-Factor (Chronic aquatic

toxicity)

Toxicity to soil dwelling or-

ganisms

: 100

: Test Type: artificial soil EC50: 5,3 mg/kg Exposure time: 56 d

> Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

Test Type: artificial soil NOEC: 2,5 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

12.2 Persistence and degradability

Components:

Isopropyl alcohol, IPA:

Biodegradability : Result: Readily biodegradable.

Ivermectin:

Biodegradability : Result: Persistent substance with a half life of more than 60

days.

12.3 Bioaccumulative potential

Components:

Isopropyl alcohol, IPA:

Partition coefficient: n-

octanol/water

: log Pow: 0,05 (25 °C)

Ivermectin:

Bioaccumulation : Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 63 - 111 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: 3,22 (20 °C)

12.4 Mobility in soil

Components:

Ivermectin:

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Distribution among environmental compartments

: log Koc: 3,6 - 4,4

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

Ivermectin:

Assessment : Persistent and Toxic.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Components:

Ivermectin:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

Uncontaminated packaging can be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.

(Isopropanol, Ivermectin)

RID : FLAMMABLE LIQUID, N.O.S.

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

(Isopropanol, Ivermectin)

IMDG : FLAMMABLE LIQUID, N.O.S.

(Isopropanol, Ivermectin)

IATA : Flammable liquid, n.o.s.

(Isopropanol, Ivermectin)

14.3 Transport hazard class(es)

 ADR
 : 3

 RID
 : 3

 IMDG
 : 3

 IATA
 : 3

14.4 Packing group

ADR

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3

IMDG

Packing group : II
Labels : 3
EmS Code : F-E, S-E

IATA (Cargo)

Packing instruction (cargo : 364

aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen: 353

ger aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

Remarks : IATA: Special provision A197

IMDG-Code: Chapter 2.10.2.7 ADR/RID: Special provision 375

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import of dangerous chemicals

or dangerous chemicals

Seveso III: Directive 2012/18/EU of the Euro-

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Conditions of restriction for the following entries should be considered:

Number on list 3

Not applicable

Not applicable

Not applicable

Not applicable

Ivermectin

FLAMMABLE LIQUIDS

E1 ENVIRONMENTAL HAZARDS

Water contaminating class

(Germany)

WGK 3 highly hazardous to water

P5c

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Organic Substances:

Not applicable

Carcinogenic substances:

Not applicable Mutagenic: Not applicable

Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Crodamol CAP

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Substance(s) not listed on TSCA inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H300 : Fatal if swallowed.

H311 : Toxic in contact with skin.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H361 : Suspected of damaging fertility or the unborn child.

H362 : May cause harm to breast-fed children.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Lact. : Effects on or via lactation
Repr. : Reproductive toxicity
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

according to Regulation (EC) No. 1907/2006



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2020

 2.1
 28.05.2021
 000000049546
 Date of first issue: 28.10.2019

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice : Provide adequate information, instruction and training for op-

erators.

Other information : Vertical lines in the left hand margin indicate an amendment

from the previous version.

Sources of key data used to

compile the Safety Data

Sheet

The specifications are based on own tests and/or literature

data.

Classification of the mixture:

Classification procedure:

Flam. Liq. 2 H225 Based on product data or assessment Eye Irrit. 2 H319 Calculation method H362 Calculation method Lact. STOT SE 3 H336 Calculation method Aquatic Acute 1 H400 Calculation method Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN